Safety data sheet according to 2001/58/EC Bead foam 0-1,5mm 13Kg/m3

1. substance/preparation and company name

Trade name:	Styrofoam	
	Expanded polystyrene rigid foam (EPS)	
	according to DIN EN 13163	
Use:	Thermal insulation material	
Company:	Styroline Großenhain	
2. composition/information on ingredients		
Basic substance:	expanded polystyrene	
	EPS rigid foam contains	
	Polymer FR Flame retardant	
	(share < 1 wt.%)	
Hazardous ingredients:	none	
3. possible hazards:	none	
4. first aid measures:	No special measures required.	
5. fire-fighting measures		
Suitable extinguishing media:	Water mist, foam, dry extinguishing agent	
	Water rolling jet	
unsuitable:	-	
In the event of a fire, may be released:	Soot, carbon dioxide, carbon monoxide	
	No particular hazard from traces	
	of other degradation products: Styrene	
Hazardous fume gas:	Carbon monoxide	
additional notes:	Obstruction of visibility due to smoke formation	

Page 1

Continued on page 2

Styroline Eichenallee 9 01558 Großenhain
 Service telephone
 03522 / 55 93 93 0

 Phone
 03522 / 529 736 282

 Fax
 03522 / 55 93 92 9

 E-Mail
 info@styroline.de

 Internet
 www.styroline.de



6. measures in the event of accidental release		
not applicable		
7. handling and storage		
Handling:	EPS rigid foam is combustible. According to DIN 4102	
	Part 1, flame-retardant, building material class B1 and	
	rated as non-flammable dripping/falling. Fire extinguishers	
	should be available when working with naked flames.	
	Do not cut hot wire in unventilated rooms.	
Storage:	No special measures required if stored properly.	
	Note incompatibility with organic solvents.	
8. exposure controls and protective equipment		
Exposure limit:	not applicable	
personal protective		
equipment:	No special measures required.	
9. physical and chemical properties		
Shape / Size:	Bead foam, 0–1,5 mm	
Bulk density:	13 kg/cbm	
Colour:	white	
Odour:	odourless	
Change of state:	Melting point/range: > 100 °C	
Flammability:	flame retardant according to DIN 4102, part 1	
Ignition temperature:	approx. 370 °C	
Auto-ignition temperature:	approx. 450 °C	
Solubility in water:	insoluble	
Solubility in other solvents	Soluble in aromatic hydrocarbons and in most other	
	organic solvents.	
10. stability and reactivity		

The product is stable and inert under normal conditions of use, storage and handling: Exposure to temperatures >100 °C, ignition sources and solvents. and Reactivity

Page 2

Continued on page 3

Styroline Eichenallee 9 01558 Großenhain
 Service telephone
 03522 / 55 93 93 0

 Phone
 03522 / 529 736 282

 Fax
 03522 / 55 93 92 9

 E-Mail
 info@styroline.de

 Internet
 www.styroline.de



11. toxicological information

When handled and used properly, the product does not cause any adverse health effects.

12. Information on ecology	
Elimination data:	Test not feasible
Ecological impact:	Fish toxicity: none
	WGK: 0 (self-classification)
General notes:	EPS rigid foam is chemically neutral, not water-soluble and does not
	release any water-soluble substances that could lead to groundwater
	contamination.

13. notes on disposal

EPS rigid foam can be recycled materially, raw materially and thermally. When disposing of waste, the regulations and laws of the respective countries must be observed. EPS is not a hazardous waste, it can be deposited on regulated domestic and commercial landfills and treated in waste incineration plants without any problems.

14 Transport

-		
Land transport:	No dangerous goods in the sens	e of the transport regulations
Inland waterway transport:	No dangerous goods in the sens	e of the transport regulations
Sea transport:	No dangerous goods in the sens	e of the transport regulations
Air transport:	No dangerous goods in the sens	e of the transport regulations
15. regulations		
Labelling according to EC Directives:	Not subject to labelling	
National regulations (Germany):	Major Accidents Ordinance:	not subject to
	Classification according to VbF:	not assumed
	TA Air: Class:	not assumed
	Number:	not imputed
	Water hazard class:	WGK 0 (self-classification)

16. other information

The above information is based on the current state of our knowledge and does not constitute a guarantee or assurance of properties. Existing laws and regulations must be observed by the recipient of our products at his own responsibility.

R 10	inflammable
S 16	Keep away from ignition sources

Seite 3

Disclaimer: All contents of this printed matter are the property of STYROLINE. The contents may only be used with our express written permission.

Styroline Eichenallee 9 01558 Großenhain
 Service telephone
 03522 / 55 93 93 0

 Phone
 03522 / 529 736 282

 Fax
 03522 / 55 93 92 9

 E-Mail
 info@styroline.de

 Internet
 www.styroline.de

